FORM NO. 4
(See Rule 7)
MEDICAL CERTIFICATE OF CAUSE OF DEATH
(Hospital In-patients. Not to be used for still births)
To be sent to Registrar along with Form No. 2 (Death Report)

			ii tile nospitai iii waru 140		atAM/
NAME OF DECI Sex	For use of Statistical Office				
Sex	If 1 year or more, age in years	If less than 1 year, age in month	e at Death  If less than one month, age in days	If less than one day, age in hours	
1. Male 2. Female	,		,		
<u>C</u>	CAUSE OF DEATH		Interval between onset		
	sease, injury or complic not the mode of dying s nia, etc.	such as heart	and death approx.		
Antecedent cause			r as a consequences of)		
	itions, if any, giving rise underlying conditions las		•		
		(c)			
	conditions contributing the disease or condition ca				
Manner of Death	<u>1</u>	How	did the injury occur?		
. Natural 2. Acc 5. Pending investig f deceased was a	cident 3. Suicide 4. Hor	micide ne death associated with?	did the injury occur?		
. Natural 2. Acc 5. Pending investig f deceased was a	cident 3. Suicide 4. Hor gation	micide ne death associated with?	1. Yes 2. No		al Attendant certifying the cause of de
. Natural 2. Acc . Pending investig	cident 3. Suicide 4. Hor gation	ne death associated with?	1. Yes 2. No	rification	
. Natural 2. Acc . Pending investig	cident 3. Suicide 4. Hor gation  female, was pregnancy the delivery? 1. Yes 2. N	ne death associated with?	1. Yes 2. No  Nam  Date of verence of the server of the se	rification	
Natural 2. Acc Pending investig	cident 3. Suicide 4. Hor gation  female, was pregnancy the delivery? 1. Yes 2. N	nicide  ne death associated with?  To  SEE R  tached and handed over to the	1. Yes 2. No  Nam  Date of verence of the deceased)	rificationONS	
Natural 2. Acc Pending investig	female, was pregnancy the delivery? 1. Yes 2. N	see death associated with?  SEE R  tached and handed over to the	1. Yes 2. No  Nam  Date of verence of the deceased)	ONS  S/W/D of Shri	
Natural 2. Acc Pending investig	cident 3. Suicide 4. Hor gation  female, was pregnancy the delivery? 1. Yes 2. N  (To be de Certified R/O	see death associated with?  SEE R  tached and handed over to the	1. Yes 2. No  Nam  Date of verence of the deceased)  was an armonic or the deceased.	ONS  S/W/D of Shri	

# MEDICAL CERTIFICATE OF CAUSE OF DEATH

Directions for completing the form

Name of deceased: To be given in full. Do not use initials. If deceased is an infant, not yet named at time of death, write 'Son of (S/o)' or 'Daughter of (D/o)', followed by names of mother and father.

**Age**: If the deceased was over 1 year of age, give age in completed years. If the deceased was below 1 year of age, give age in months and if below 1 month give age in completed number of days, and if below one day, in hours.

Cause of Death: This part of the form should always be completed by the attending physician personally.

The certificate of cause of death is divided into two parts, I and II. Part I is again divided into three parts, lines (a) (b) (c). If a single morbid condition completely explains the deaths, then this will be written on line (a) of Part I, and nothing more need be written in the rest of Part I or in Part II, for example, smallpox, lobar pneumonia, cardiac beriberi, are sufficient cause of death and usually nothing more is needed.

Often, however, a number of morbid conditions will have been present at death, and the doctor must then complete the certificate in the proper manner so that the correct underlying cause will be tabulated. First, enter in Part I(a) the immediate cause of death. This does not mean the mode of dying, e.g., heart failure, respiratory failure, etc. These terms should not be appear on the certificate at all since they are modes of dying and not causes of death. Next consider whether the immediate cause is a complication or delayed result of some other cause. If so, enter the antecedent cause in Part I, line (b). Sometimes there will be three stages in the course of events leading to death. If so, line (c) will be completed. The underlying cause to be tabulated is always written in last in Part I.

Morbid conditions or injuries may be present which were not directly related to the train of events causing death but which contributed in some way to the fatal outcome. Sometimes the doctor finds it difficult to decide, especially for infant deaths, which of several independent conditions was the primary cause of death; but only one cause can be tabulated, so the doctor must decide. If the other diseases are not effects of the underlying cause, they are entered in Part II.

Do not write two or more conditions on a single line. Please write the names of the diseases (in full) in the certificates as legibly as possible to avoid the risk of their being misread.

Onset: Complete the column for interval between onset and death whenever possible, even if very approximately, e.g., "from birth" "several years".

Accidental or violent deaths: Both the external cause and the nature of the injury are needed and should be stated. The doctor or hospital should always be able to describe the injury, stating the part of the body injured, and should give the external cause in full when this is shown. Example: (a) Hypostatic pneumonia; (b) Fracture of neck of femur; (c) Fall from ladder at home.

*Maternal deaths*: Be sure to answer the question on pregnancy and delivery. This information is needed for all women of child-bearing age, even though the pregnancy may have had nothing to do with the death.

Old age or senility: Old age (or senility) should not be given as a cause of death if a more specific cause is known. If old age was a contributory factor, it should be entered in Part II. Example: (a) Chronic bronchitis, II old age.

Completeness of information: A complete case history is not wanted, but, if the information is available, enough details should be given to enable the underlying cause to be properly classified.

Example: Anaemia – Give type of anaemia, if known. Neoplasm – Indicate whether benign or malignant, and site, with site of primary neoplasm, whenever possible, Heart disease – Describe the condition specifically; if congestive heart failure, chronic on pulmonale, etc., are mentioned, give the antecedent conditions. Tetanus – Describe the antecedent injury, if known. Operation – State the condition for which the operation was performed. Dysentery – Specify whether bacillary, amoebic, etc., if known. Complications of pregnancy or delivery – Describe the complication specifically, Tuberculosis – Give organs affected.

Symptomatic statement: Convulsions, diarrhea, fever, ascites, jaundice, debility, etc., are symptoms which may be due to any one of a number of different conditions. Sometimes nothing more is known, but whenever possible, give the disease which caused the symptom.

Manner of Death: Deaths not due to external cause should be identified as 'Natural'. If the cause of death is known, but it is not known whether it was the result of an accident, suicide or homicide and is subject to further investigation, the cause of death should invariably be filled in and the manner of death should be shown as 'Pending investigation'.

FORM NO. 4A
(See Rule 7)
MEDICAL CERTIFICATE OF CAUSE OF DEATH
(For non-institutional deaths. Not to be used for still births)
To be sent to Registrar along with Form No. 2 (Death Report)

				on/wife/daughter of	
he/she died on		at	was under my treatn M./P.M.	nent from	to and
NAME OF DEC	~EASED				For use of Statistical Office
Sex	CEASED	Ag	ge at Death		For use of Statistical Office
	If 1 year or more, age in years	If less than 1 year, age in month	If less than one month, age in days	If less than one day, age in hours	1
<ol> <li>Male</li> <li>Female</li> </ol>					
	04110F 0F DE 4711				
	CAUSE OF DEATH			Interval between onset and death approx.	
caused death	isease, injury or complicent, not the mode of dying s		-		
failure, asthe	ema, etc.				
Antecedent caus	e		r as a consequences of)		
	ditions, if any, giving rise g underlying conditions las	to the above			
		(c)			
II Other significan	t conditions contributing	to the death			
	the disease or condition c				
	a female, was pregnancy that a delivery? 1. Yes 2. N		1. Yes 2. No		
			Name and si	gnature of the Medical Practiti	oner certifying the cause of death
			Date of verification		
		SEE REV	ERSE FOR INSTRUCTION	NS	
	(To be de	tached and handed over to the	ne relative of the deceased)		
	Certified	that Shri/Smt/Kum		S/W/D of Shri	
	R/O		was	under my treatment from	
	to	and	and he/she expired on		. at A.M./P.M.
				Doctor	
				Signature and address of Me Medical attendant with Regis	dical Practitioner/

## MEDICAL CERTIFICATE OF CAUSE OF DEATH

Directions for completing the form

Name of deceased: To be given in full. Do not use initials. If deceased is an infant, not yet named at time of death, write 'Son of (S/o)' or 'Daughter of (D/o)', followed by names of mother and father.

Age: If the deceased was over 1 year of age, give age in completed years. If the deceased was below 1 year of age, give age in months and if below 1 month give age in completed number of days, and if below one day, in hours.

Cause of Death: This part of the form should always be completed by the attending physician personally.

The certificate of cause of death is divided into two parts, I and II. Part I is again divided into three parts, lines (a) (b) (c). If a single morbid condition completely explains the deaths, then this will be written on line (a) of Part I, and nothing more need be written in the rest of Part I or in Part II, for example, smallpox, lobar pneumonia, cardiac beriberi, are sufficient cause of death and usually nothing more is needed.

Often, however, a number of morbid conditions will have been present at death, and the doctor must then complete the certificate in the proper manner so that the correct underlying cause will be tabulated. First, enter in Part I(a) the immediate cause of death. This does not mean the mode of dying, e.g., heart failure, respiratory failure, etc. These terms should not be appear on the certificate at all since they are modes of dying and not causes of death. Next consider whether the immediate cause is a complication or delayed result of some other cause. If so, enter the antecedent cause in Part I, line (b). Sometimes there will be three stages in the course of events leading to death. If so, line (c) will be completed. The underlying cause to be tabulated is always written in last in Part I.

Morbid conditions or injuries may be present which were not directly related to the train of events causing death but which contributed in some way to the fatal outcome. Sometimes the doctor finds it difficult to decide, especially for infant deaths, which of several independent conditions was the primary cause of death; but only one cause can be tabulated, so the doctor must decide. If the other diseases are not effects of the underlying cause, they are entered in Part II.

Do not write two or more conditions on a single line. Please write the names of the diseases (in full) in the certificates as legibly as possible to avoid the risk of their being misread.

Onset: Complete the column for interval between onset and death whenever possible, even if very approximately, e.g., "from birth" "several years".

Accidental or violent deaths: Both the external cause and the nature of the injury are needed and should be stated. The doctor or hospital should always be able to describe the injury, stating the part of the body injured, and should give the external cause in full when this is shown. Example: (a) Hypostatic pneumonia; (b) Fracture of neck of femur; (c) Fall from ladder at home.

Maternal deaths: Be sure to answer the question on pregnancy and delivery. This information is needed for all women of child-bearing age, even though the pregnancy may have had nothing to do with the death.

Old age or senility: Old age (or senility) should not be given as a cause of death if a more specific cause is known. If old age was a contributory factor, it should be entered in Part II. Example: (a) Chronic bronchitis, II old age.

Completeness of information: A complete case history is not wanted, but, if the information is available, enough details should be given to enable the underlying cause to be properly classified.

Example: Anaemia – Give type of anaemia, if known. Neoplasm – Indicate whether benign or malignant, and site, with site of primary neoplasm, whenever possible, Heart disease – Describe the condition specifically; if congestive heart failure, chronic on pulmonale, etc., are mentioned, give the antecedent conditions. Tetanus – Describe the antecedent injury, if known. Operation – State the condition for which the operation was performed. Dysentery – Specify whether bacillary, amoebic, etc., if known. Complications of pregnancy or delivery – Describe the complication specifically, Tuberculosis – Give organs affected.

Symptomatic statement: Convulsions, diarrhea, fever, ascites, jaundice, debility, etc., are symptoms which may be due to any one of a number of different conditions. Sometimes nothing more is known, but whenever possible, give the disease which caused the symptom.